


CODE VALUE K=260, L=280 M=300, N=340, P=360, R=400

BDS

- | | | |
|-----|--|-----|
| 97 | Sea-Anemones TS & LS showing mesenteries | L |
| 98 | Sea-Anemone on Hermit carb | L |
| 99 | Spongedes | K |
| 101 | Studeroites | K |
| 102 | Stomolophus | K |
| 104 | Sphenopus | K |
| 105 | Virgularia (sea Pen) | K |
| 106 | Collection of Anthozoa Aset of 6 important species | R+K |

Coelenterata-Scyphozoa

- | | | |
|-----|---|-----|
| 107 | Acquora | K |
| 108 | Aurelia Aurita | K |
| 109 | Cassiopea | K |
| 110 | Charybdaea | K |
| 113 | Cubomedusa | K |
| 115 | Haliclystus | K |
| 116 | Jelly Fish | K |
| 117 | Naracomedusae | K |
| 119 | Lucernaria | K |
| 120 | Pilema | K |
| 121 | Pelagia | K |
| 122 | Rhizostoma | K |
| 124 | Collection of Scyphozoa Aset of six important species | R+K |



Ctenopora

- | | | |
|-----|-----------------------|---|
| 125 | Beore (Japan) | R |
| 126 | Cestum (Venus girdle) | R |
| 127 | Coeloplana (red sea) | L |
| 128 | Ctenoplana (red sea) | L |
| 129 | Hormiphora | L |
| 130 | Pleurobrachia | L |

Platyhelminthes


- | | | |
|-----|------------------------|---|
| 131 | Amphilina | L |
| 132 | Bipalium | L |
| 133 | Diplozoan | K |
| 134 | Dugesia | L |
| 135 | Echinococcus | L |
| 136 | Fasciola (liver fluke) | K |
| 137 | Fish fluke | K |
| 138 | Gastrodiscus | K |
| 139 | Gryodactylus | K |
| 140 | Gryocotyle | K |
| 141 | Homologaster | K |
| 142 | Ligula | K |



Pleurobrachia


BDS

- | | | |
|-----|---|-----|
| 143 | Planaria marine large | K |
| 144 | Paramphistomum | K |
| 145 | Polystoma | K |
| 146 | Planaria freshwater | K |
| 147 | Ruman fluke | K |
| 149 | Schistosoma mansoni (blood fluke) | K |
| 150 | Tape worm | K |
| 151 | Taneiasolium | K |
| 152 | Taenia Saginata | K |
| 153 | Tape work moniezia | K |
| 154 | Tape worm Dyphylidium | K |
| 155 | Tetrarhynchus | K |
| 156 | Tape worm cysticercus (bladder worm) | K |
| 157 | Tape worm LH | M |
| 159 | Collection of Platyhelminthes Set of 5 selected species | R+K |



Nematheiminthes

- | | | |
|-----|---|-----|
| 160 | Ascaris male | L |
| 161 | Ascaris Female | L |
| 162 | Ascaris Male & female | M |
| 163 | Ancylostoma | K |
| 164 | Dracunculus | K |
| 165 | Entrobisus | K |
| 166 | Filaria (waucheria) | K |
| 167 | Guinea worm | K |
| 168 | Loa micro Filaria | K |
| 169 | Oxyuris | K |
| 170 | Syngamus | K |
| 171 | Sand dwelling nematode | K |
| 172 | Thread worm | K |
| 173 | Trichinella spiralis male female with cyst | K |
| 174 | Trichuras | K |
| 175 | Vermicularia | K |
| 176 | Collection of Namathelminthes Set of 5 selected species | R+K |



Ascaris


Annelida

- | | | |
|-----|-------------------------|-----|
| 177 | Aphrodite | R+K |
| 179 | Arenicola UK* | R+R |
| 200 | Aulostoma horse leech | P |
| 202 | Acanthobdella | R |
| 203 | Branchillion | R |
| 204 | Chaetopterus USA large* | |
| 205 | Chlocia | K |
| 206 | Dasychone | K |
| 207 | Earthworm (pheritima) | K |

* See Rates under imported & Rare Specimen Section

CODE VALUE K=260, L=280 M=300, N=340, P=360, R=400

BDS		Rs.	BDS		Rs.
304	Megalopa larva large	K	349	Katydids	K
305	Matuta Victor crab	K	350	Lac insects	K
306	Metapaneus	K	351	Lepisma (silver fish)	K
307	Mysis	K	352	Locust	K
308	Neptunus crab	K	353	Larva oligopod	L
309	Nebalia	K	354	Larva apodus	L
310	Oniscus	K	355	Larva polypod	L
311	Palaemon (prawn)	K	356	Ligia	K
312	Penaeus (marine prawn)	K	357	Long horned beetle	K
313	Pelinurus (rock lobster)	R	358	Lacebug	K
314	Pagurus with shell	K	359	May fly	K
315	Sacculina with host	M	360	Mosquito anopheles	K
316	Sphaeroma rock boring	L	361	Mosquito culex	K
317	Squilla	K	362	Moth	K
318	Shrimp	K	363	Musca (house fly)	K
319	Sterptocephalus	K	364	Nepa water scorpion	K
320	Scylla	K	365	Oryctes beetle	K
321	Spider crab	L	366	Obctate pupa	L
322	Thenus (cray fish)	L	367	Peripianata (cockroach)	K
323	Zoea Larva	K	368	Pediculus (head louce)	K
Insecta			369	Praying mantis	L
324	Anthia	K	370	Ranatra	K
325	Ant	K	371	Stink Bug	K
326	Antlion larva	K	372	Stick insect	K
327	Apis (Honey bee) drone	K	373	Schistocerca	K
328	Apis (Honey) queen	M	374	Termite queen	M
329	Apis (Honey) worker	K	375	Termite soldier	K
330	Aphid	K	376	Termite winged	K
331	Bed bug (Cimex)	K	377	Termite worker	K
332	Bellostoma	M	378	Thrips	K
333	Bombyx mori (Silkmoth)	K	379	Tree-hooper	K
334	Bumble bee	K	380	Wasp	K
335	Blow-fly	K	381	Water-bug	K
336	Cicada male	M	Crop Pests Specimens		
337	Cicade female	M	382	Autocaphora Paviecollis (Red P. Beetle)	M
338	Coccinella	K	383	Docus Cucurbitae (Pumpkin fruit fly)	M
339	Cricket	K	384	Tertanychus Tetrius (Veg. Mite)	M
340	Drosophila	K	385	Epilachna (Hadda Beetle)	M
341	Exarate pupa	K	386	Callosotruchus Meculatus (P. Beetle)	M
342	Forficula (earwig)	L	387	Sitophilus Oryza (R. weevil)	M
343	Fire fly	L	388	Sitotraga Cerealela (G. Moth)	M
344	Grass-hopper	K	389	Sitotraga Cerealela (F. Moth)	M
345	Gryllotapa molecricket	M	390	Tribolium Castaneum (Planer Beetle)	M
346	Gryllus	K	391	Rhizoperlla Dominica (Lesser G. Beetle)	M
347	Gersis (water strider)	K	392	Dytiscus (Diving Beetle)	M
348	Jewel beetle	K	393	Selostoma (G.W. Bug)	M
			394	Notonecta (Back swimmer)	M
			395	Nepa (W.S)	M



Lobster



Crayfish



Cimex



Giant Water Bug



Termite queen



Praying mantis


* See Rates under imported & Rare Specimen Section

CODE VALUE K=260, L=280 M=300, N=340, P=360, R=400


BDS

Rs.

- 577 Arius with egg **M**
- 578 Amia calva (bow fish) USA* **M**
- 579 Ambasis **M**
- 580 Apocryptes **M**
- 581 Balistis (trigger fish) **M**
- 582 Belone (garpike) **M**
- 583 Barbus **M**
- 584 Bagarius **M**
- 585 Beleopthalmus **M**
- 586 Botia **M**
- 587 Centaiscus (glass fish) **M**
- 588 Chaetoessus **M**
- 589 Chetodon **M**
- 590 Chrysochrysis **M**
- 591 Choridactylus **M**
- 592 Caranx **M**
- 593 Callichrous **M**
- 594 Chela **M**
- 595 Carassius (Gold) **M**
- 596 Chiloscylium **M**
- 597 Cirrahina **M**
- 598 Cobotis aurata **M**
- 599 Calomoiichthys (Reed Fish)* **M**
- 600 Colia **M**
- 601 Catla fish CXXXIV **M**
- 602 Clarius (cat fish) **M**
- 603 Codfish **M**
- 604 Coryphaena **M**
- 605 Cuchia **M**
- 606 Cybium **M**
- 607 Channa **M**
- 608 Clupea **M**
- 609 Chimera large USA* **M**
- 610 Chiloscylium **M**
- 611 Carcharias **M**
- 612 Cynoglossus **M**
- 613 Dactylopterus **M**
- 614 Diodon (porcupine fish) **M**
- 615 Drepane **M**
- 616 Discuss fish **M**
- 617 Dorychthys **M**
- 618 Dentex dentex **M**
- 619 Equila **M**
- 620 Echineis (sucker fish) **R+M**
- 621 Eel Angulla **L**
- 622 Eel Muraena **L**
- 623 Eel larva (Leptocephalus) **M**
- 624 Eleotris **M**
- 625 Engraulis **M**
- 626 Exostoma **M**



Acipenser



Myxine


BDS

Rs.

- 627 Etroplus **M**
- 628 Exocoetes (flying fish) **M**
- 629 Fistularia (flute fish) **M**
- 630 Flat fish (cynoglossus) **M**
- 631 Flat fish (pleuronectes) **M**
- 632 Gagata **M**
- 633 Gastrotokous **M**
- 634 Govius **M**
- 635 Gobiush fish **M**
- 636 Glyphidodon **M**
- 637 Helieutaea stellata **M**
- 638 Harpodon (Bombay Duck) **M**
- 639 Haplochilus **M**
- 640 Heteropneustus **M**
- 641 Hilsa **M**
- 642 Hippocampus Replica **M**
- 643 Hippocampus Male or Female (Replica) **M**
- 644 Haptanchus USA* **R**
- 645 Histophorus **M**
- 646 Hermirhampus **M**
- 647 Holocentrum **M**
- 648 Jerdonia **M**
- 649 Ketengus **M**
- 650 Labeo (rohu) **M**
- 651 Lophius **M**
- 652 Lepidosteus large USA* **M**
- 653 Lepidosiren (lungfish)* **M**
- 654 Lutianus **M**
- 655 Lobotes **M**
- 656 Mackerel fish **M**
- 657 Mystus **M**
- 658 Macrones **M**
- 659 Mugil (mullet) **M**
- 660 Mastacemba **M**
- 661 Notopterus **M**
- 662 Neo-ceratodus (Australia)* **M**
- 663 Ophichthys **M**
- 664 Ophiocephalus **M**
- 665 Ostracoin (coffer fish) **M**
- 666 Osphronemus **M**
- 667 Pellona **M**
- 668 Pericanthus **M**
- 669 Periophthalmus **M**
- 670 Plagusia **M**
- 671 Plotosus **M**
- 672 Pteroplatid **M**
- 673 Pterois (scorpion fish) **M**
- 674 Pseudorhombus **M**
- 675 Polpyterus (lobe fish large)* **M**



Labeo



Diodon



Ostracoin

* See Rates under imported & Rare Specimen Section

CODE VALUE K=260, L=280 M=300, N=340, P=360, R=400

BDS	Rs.	BDS	Rs.
766 Mammal Eye	R+K	773 Mammal Stomach	R+R
767 Mammal Pancreas	R+R	774 Mammal Appendix	R+K
768 Mammal Intestine	R+K	775 Mammal Vagina	R+R
769 Mammal Spinal cord	R+K	776 Mammal Uterus	R+R
770 Mammal Testis	R+K	777 Mammal Urinary bladder	R+K
771 Mammal Ovary	R+K	778 Mammal Oesothagus	R+K
772 Mammal Trachea	R+K		

Biocraft's Imported & Rare Specimens

Excellent imported and rare specimens mounted in jars. Each specimen may be supplied with a card having full classification and distribution of the animal if so required.

BIRS

Porifera and Coelenterata

	Rs.
1 Euplectella-(Venus flower basket) (Replica)	1,850
2 Hylonema-Glass rope sponge (Replica)	850
3 Beroe	550

Annelida


4 Arenicola-(Lug worm) Excellent large sps. UK	1,600
5 Amphitrite	550
6 Aphrodite (Florescent sea mouse) large size	830
7 Branchillion	610
8 Chaetopeterus-(Phosphorescent worm) USA large	2,950
9 Lumbricus-Excellent sps.	550
10 Glycera-Large with head USA	750
11 Polynoe-beautiful specimen	410
13 Pontobdella	1150

Minor Phyla

14 Bonellia-(Female) Rare from Ceylon large size	1400
15 Bonellia (Male)	1150
16 Echirus-Excellent sps.	800
18 Peripatus-Very rare specimen (Replica)	1250

Echinodermata/Mollusca

21 Astrophyton-Excellent museum mount	1,800
22 Gorgnocephalus-Basket star-fish	1,800
23 Argunata paper shell USA	1,580
24 Aspergillus Shell	750



* See Rates under imported & Rare Specimen Section

Lower Chordata


- | | | |
|----|--|-------|
| 25 | Ammocetes larva-Excellent specimen | 1,750 |
| 26 | Petromyzon-Imported USA | 2,800 |
| 28 | Lampray-(River lampray)USA | 1,750 |
| 30 | Hag fish (Bdellostoma)-Excellent specimen from USA | 2,850 |
| 31 | Myxine glutinosa-Excellent specimen | 2,850 |

Pisces (Fishes)

- | | | |
|----|--|-------|
| 32 | Amia Calva (Bow fish) Imported | 1,520 |
| 33 | Acipencer-Ruthenus Sturgeon-large excellent specimen | 3,650 |
| 34 | Calamoichtys-(Reed fish) S. Africa most rare | 3,200 |
| 35 | Chimaera-Excellent large sps. USA | 4,500 |
| 36 | Haptancus USA | 1,400 |
| 37 | Lepidosteus-(Gar pike) Excellent large sps. | 3,200 |
| 38 | Lepido-siren-(Most rare) Imported South Africa | 3,750 |
| 39 | Neo-ceratodus-Model in Acrylic Case | 1,800 |
| 40 | Protopterus-(African lung fish) South Africa with whip like fins | 3,100 |
| 41 | Polypterus bichir-Log fish South Africa | 3,000 |
| 42 | Polydon spathula-spoon bill fish Imported | 3,600 |
| 43 | Sturgeon (Shovel nose)-Most excellent specimen USA | 3,800 |

Amphibia


- | | | |
|----|---|-------|
| 44 | Acris (cricket frog)-Africa | 700 |
| 45 | Alytes obstetricans-Male with egg excellent original specimen | 1100 |
| 46 | Axolotl Larva USA | 4100 |
| 47 | Amphiuma (Congo Eel)-(Large) Most excellent specimen | 5,800 |
| 49 | Bombinator-(Fire belly toad) | 1,600 |
| 50 | Bufo marinus-Marine large toad Brazil | 1,350 |
| 52 | Hemipipa | 1,700 |
| 54 | Mid wife toad-With eggs | 1,100 |
| 55 | Necturus-(Mud puppy) | 3,600 |
| 56 | Pipa pipa-Excellent specimen | 3,200 |
| 57 | Pipa Americana-Excellent specimen | 3,100 |
| 58 | Salamander Imported | 3,250 |
| 60 | Xenopus-with pointed horned claws South Africa | 1,950 |



Protopterus



Polypterus



Necturus



Salamander

Biocraft Means—
Business with Trust